

PERFECTLY MATCHED BATH ACCESSORIES

- 3 Weymouth®
- 5 Arris®
- 7 Flara®
- 9 Colinet™
- 11 90°™
- 13 Doux™
- 14 Wynford®
- 16 Align®
- 18 Voss™
- 20 Belfield™
- 22 Kingsley®
- 25 Dartmoor™
- 27 Glyde™
- 28 Brantford®
- 30 Eva®
- 32 Genta™

COORDINATING ACCESSORIES AND SAFETY

- 36 Pro-Fit® Installation System
- 41 SecureMount™ System
- 42 Mason™
- 43 Retreat®
- 44 Arlys™
- 45 Triva™
- 46 Iso®

- 50 Kyvos™
- 51 Lounge™
- 52 Madison™
- 53 Preston™
- 54 Edgestone®
- 55 Stockton®
- 56 Danbury®
- 57 Yorkshire™

- 48 Sage®

58 Aspen™

- 59 Gilchrest™
- 60 Glenshire™
- 61 30" Towel Bars
- 62 Shower Rods and Rings
- 71 Moen® Lighting
- 73 Knobs and Pulls
- 74 Donner®
- 82 Bath Safety

MATCHING ACCESSORIES



Tank Lever YB8401



Double Robe Hook YB8403



18" Towel Bar YB8418 24" Towel Bar YB8424



Drawer Knob YB8405




Drawer Pull YB8407



Towel Ring YB8486



Pivoting Paper Holder YB8408 (P









WATERHILL® CORDINATING ACCESSORIES



Globe Bath Light YB9861



Two Globe Bath Light YB9862



Three Globe Bath Light YB9863



Four Globe Bath Light YB9864

WEYMOUTH FINISH OPTIONS

















Chrome, Brushed Nickel (BN), LifeShine® Brushed Gold (BG), Lifeshine® Polished Nickel (NL) Oil Rubbed Bronze (ORB), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages

- 🏿 Immersion Rainshower Technology
- ⋒ Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED*



cultures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

MATCHING ACCESSORIES



Tank Lever YB0801



Pivoting Paper Holder YB0808 P



18" Towel Bar YB0818 24" Towel Bar YB0824



Double Robe Hook YB0803



5x Magnifying Mirror YB0892



Towel Ring YB0886




12" Designer Grab Bar

18" Designer Grab Bar YG0818

24" Designer Grab Bar YG0824

36" Designer Grab Bar YG0836

42" Designer Grab Bar YG0842











Drawer Knob DN0705



Drawer Pull DN0707



One Globe Bath Light DN0761



Two Globe Bath Light DN0762



Three Globe Bath Light DN0763



Four Globe Bath Light DN0764

ARRIS FINISH OPTIONS









Chrome, Brushed Nickel (BN), Matte Black (BL)

Not all platforms available in all finishes. To view ordering instructions, see reference chart on pages 96-99.

- 🏿 Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



cultures and be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

MATCHING ACCESSORIES



Tank Lever YB0301



Double Robe Hook YB0303



Pivoting Paper Holder YB0308 (P'



Drawer Knob YB0305



Drawer Pull YB0307



Mirror YB0392



Hand Towel Bar YB0386



18" Towel Bar YB0318

24" Towel Bar YB0324



24" Double Towel Bar YB0322



12" Designer Grab Bar

YG0312 18" Designer Grab Bar

YG0318 24" Designer Grab Bar

YG0324

36" Designer Grab Bar YG0336

42" Designer Grab Bar YG0342



Vanity Shelf YB0390







One Globe Bath Light YB0361



Two Globe Bath Light YB0362



Three Globe Bath Light YB0363



Four Globe Bath Light YB0364

FLARA® FINISH OPTIONS











Chrome, Brushed Nickel (BN), Brushed Gold (BG), Polished Nickel (NL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- X Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c Ul us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

MATCHING ACCESSORIES



Tank Lever YB0501



Double Robe Hook YB0503



Pivoting Paper Holder YB0508 🕝



Drawer Knob YB0505



Drawer Pull YB0507




Towel Ring YB0586



18" Towel Bar YB0518 24" Towel Bar

YB0524





One Globe Bath Light YB0561



Two Globe Bath Light YB0562



Three Globe Bath Light YB0563



Four Globe Bath Light YB0564

COLINET® FINISH OPTIONS











Chrome, Brushed Nickel (BN), Brushed Gold (BG), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- X Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



CUL US All lighting fixtures can be mounted facing either upward or downward [rings need to be removed if mounted up]. Bulbs not included.

MATCHING ACCESSORIES



Tank Lever YB8801



Single Robe Hook YB8803



YB8805

Drawer Knob

Drawer Pull YB8807



Hand Towel Bar YB8886



18" Towel Bar YB8818

24" Towel Bar YB8824



YG8812

18" Designer Grab Bar YG8818


24" Designer Grab Bar YG8824

36" Designer Grab Bar YG8836

42" Designer Grab Bar YG8842



Pivoting Paper Holder YB8808 (P













One Globe Bath Light YB8861



Two Globe Bath Light YB8862



Three Globe Bath Light

YB8863

Four Globe Bath Light YB8864

90° FINISH OPTIONS





Chrome, Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

- 🕱 Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



CUL us All lighting fixtures can be mounted facing either upward or downward [rings need to be removed if mounted up]. Bulbs not included.

MATCHING ACCESSORIES



Tank Lever YB0201



Pivoting Paper Holder YB0208 (P



Hand Towel Bar YB0286



Corner Shower Basket YB0275



Single Robe Hook YB0203



18" Towel Bar YB0218

24" Towel Bar YB0224

DOUX FINISH OPTIONS








To view ordering instructions, see reference chart on pages 96-99.

- 🏿 Immersion Rainshower Technology
- ⋒ Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Wynford® Wynford® Moen.com | Bath Faucets and Accessories | 15







MATCHING ACCESSORIES



Tank Lever YB5201



Pivoting Paper Holder YB5208 (P



Towel Ring YB5286



Double Robe Hook YB5203



24" Double Towel Bar YB5222



18" Towel Bar YB5218 24" Towel Bar

YB5224



Shower Basket YB5275

COORDINATING ACCESSORIES



Kingsley[®] Drawer Knob YB5405



Kingsley Drawer Pull YB5407



Waterhill® One Globe **Bath Light** YB9861



Waterhill Three Globe Bath Light YB9863



Waterhill Two Globe **Bath Light** YB9862



Waterhill Four Globe **Bath Light** YB9864

FINISH OPTIONS









Not all platforms available in all finishes. To view ordering instructions, see reference chart on pages 96-99.

- 🏿 Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



CULSTED US All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.











Swiveling Double Robe Hook YB0402



Single Robe Hook YB0403



18" Towel Bar YB0418

24" Towel Bar YB0424



Pivoting Paper Holder YB0408 P



Single-Post Paper Holder YB0409



Hand Towel Bar YB0486



12" Designer Grab Bar YG0412



24" Designer Grab Bar YG0424

36" Designer Grab Bar YG0436

42" Designer Grab Bar YG0442

ISO™COORDINATING ACCESSORIES



Drawer Knob DN0705



IDrawer Pull DN0707



One Globe Bath Light DN0761



Two Globe Bath Light DN0762



Three Globe Bath Light DN0763



Four Globe Bath Light DN0764

ALIGN FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL), Brushed Gold (BG)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- 🏿 Immersion Rainshower Technology
- Moen M●PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Note: Iso's Brushed Nickel (BN) accessories finish does not perfectly match faucet finish.



cultures Can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.











Tank Lever YB5101



Double Robe Hook YB5103



18" Towel Bar YB5118 24" Towel Bar





Pivoting Paper Holder YB5108 (F



Hairdryer Holder



Towel Ring YB5186



12" Designer Grab Bar YG5112

18" Designer Grab Bar YG5118

24" Designer Grab Bar YG5124

MATCHING ACCESSORIES



One Globe Bath Light YB5161



Two Globe Bath Light YB5162



Three Globe Bath Light YB5163



Four Globe Bath Light YB5164

90°™ COORDINATING **ACCESSORIES**



Drawer Knob YB8805



Drawer Pull YB8807

VOSS FINISH OPTIONS









Not all platforms available in all finishes. To view ordering instructions, see reference chart on

pages 96-99.

- 🏿 Immersion Rainshower Technology
- ⋒ Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c Usted us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not













Tank Lever YB6401



Double Robe Hook YB6403



Pivoting Paper Holder YB6408 (P



18" Towel Bar YB6418 24" Towel Bar YB6424



24" Double Towel Bar YB6422



Hand Towel Bar YB6486



12" Designer Grab Bar YG6412

18" Grab Bar YG6418

24" Grab Bar YG6424



One Globe Bath Light YB6461



Two Globe Bath Light YB6462



Three Globe Bath Light YB6463



Four Globe Bath Light YB6464

BELFIELD FINISH OPTIONS









Only for grab bar

Chrome, Brushed Nickel (BN), Lifeshine® Polished Nickel (NL) Oil Rubbed Bronze (ORB), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- 🕱 Immersion Rainshower Technology
- ⋒ Moen M•PACT® Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



c ULSTED us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.



















Tank Lever YB5401



Double Robe Hook YB5403



Drawer Knob

YB5405

Pivoting Paper Holder YB5408 (P*





Drawer Pull YB5407



Towel Ring YB5486

MATCHING ACCESSORIES



24" Double Towel Bar YB5422



18" Towel Bar YB5418 **24" Towel Bar** YB5424



Vanity Shelf YB5490



Towel Shelf YB5494



12" Designer Grab Bar YG5412

18" Designer Grab Bar YG5418

24" Designer Grab Bar YG5424

30" Designer Grab Bar YG5430

36" Designer Grab Bar YG5436

42" Designer Grab Bar YG5442







WATERHILL® COORDINATING ACCESSORIES



One Globe Bath Light YB9861



Two Globe Bath Light YB9862



Three Globe Bath Light YB9863



Four Globe Bath Light YB9864

KINGSLEY FINISH OPTIONS











Chrome, Brushed Nickel (BN), Oil Rubbed Bronze (ORB), Wrought Iron/Matte Black (WR)

Wrought Iron and Matte Black are the same finish and interchangeable.

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- 🌣 Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



cultures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

MATCHING ACCESSORIES



Tank Lever YB2101



Paper Holder YB2108



Towel Ring YB2186



Double Robe Hook YB2103



18" Towel Bar YB2118 24" Towel Bar YB2124

COORDINATING ACCESSORIES



Flara® Drawer Knob YB0305



Belfield 18" Grab Bar YG6418





Flara Drawer Pull YB0307









BELFIELD™ COORDINATING ACCESSORIES



One Globe Bath Light YB6461



Three Globe Bath Light YB6463



Two Globe Bath Light YB6462



Four Globe Bath Light YB6464

DARTMOOR FINISH OPTIONS











Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB), Matte Black (BL)

Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- 🏿 Immersion Rainshower Technology
- Moen M•PACT[◦] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



custed us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

MATCHING ACCESSORIES



Double Robe Hook YB2303



Paper Holder YB2308



Towel Ring YB2386

COORDINATING ACCESSORIES



Doux™ Tank Lever YB0201



18" Towel Bar

24" Towel Bar

YB2318

YB2324

Iso® Drawer Knob YB0705



Iso Drawer Pull YB0707

GLYDE FINISH OPTIONS







Chrome, Brushed Nickel (BN), Matte Black (BL) Not all platforms available in all finishes.

To view ordering instructions, see reference chart on pages 96-99.

- 🏿 Immersion Rainshower Technology
- Moen M•PACT[◦] Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Brantford® **Brantford®** Moen.com | Bath Faucets and Accessories | 29









MATCHING ACCESSORIES



Tank Lever YB2201



Double Robe Hook YB2203



Paper Holder YB2208



Towel Ring YB2286



18" Towel Bar YB2218

24" Towel Bar YB2224



12" Designer Grab Bar YG2212

18" Designer Grab Bar YG2218

24" Designer Grab Bar YG2224



One Globe Bath Light YB2261



Two Globe Bath Light YB2262



Three Globe Bath Light YB2263



Four Globe Bath Light YB2264

KINGSLEY™COORDINATING **ACCESSORIES**



Drawer Knob YB5405



Drawer Pull YB5407

BRANTFORD FINISH OPTIONS







Chrome, Brushed Nickel (BN), Oli Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 96-99.

- 🌣 Immersion Rainshower Technology
- **⋒** Moen M•PACT° Common Valve System
- EP Eco-Performance
- NH Without Showerhead
- ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in
- All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.




c UL us All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

Eva® Eva® Moen.com | Bath Faucets and Accessories | 31









MATCHING ACCESSORIES



Tank Lever YB2801



Single Robe Hook YB2803



Paper Holder YB2808



Towel Ring YB2886



Towel Shelf YB2894



18" Towel Bar YB2818

24" Towel Bar YB2824



12" Designer Grab Bar YG2812

18" Designer Grab Bar YG2818

24" Designer Grab Bar YG2824

ISO® COORDINATING ACCESSORIES



Drawer Knob YB0705



Drawer Pull YB0707

MATCHING ACCESSORIES



One Globe Bath Light YB2861



Two Globe Bath Light YB2862



Three Globe Bath Light YB2863



Four Globe Bath Light YB2864

EVA FINISH OPTIONS







To view ordering instructions, see reference chart on pages 96-99.

🏿 Immersion Rainshower Technology

Moen M•PACT[◦] Common Valve System

EP Eco-Performance

NH Without Showerhead

ADA-Compliant

Pivoting Technology

† All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.

* Rough-in valve required. Please see price catalog for rough-in model numbers.

♦ All indicated Moen flow-optimized showerheads use up to 30% less water [compared to traditional showerheads] without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.



cultures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.

Genta[™] Moen.com | Bath Faucets and Accessories | 33







MATCHING ACCESSORIES



Single Robe Hook BH3803



Hand Towel Bar BH3886



Pivoting Paper Holder BH3808 (F



18" Towel Bar BH3818

24" Towel Bar BH3824

GENTA FINISH OPTIONS









Chrome, Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 96-99.

- Immersion Rainshower Technology
- Moen M•PACT[®] Common Valve System
- EP Eco-Performance
- NH Without Showverhead ADA-Compliant
- Pivoting Technology
- † All indicated Moen lav faucets are manufactured in compliance with the applicable requirements of the EPA High-Efficiency Lavatory Faucet Specification.
- * Rough-in valve required. Please see price catalog for rough-in model numbers.
- ♦ All indicated Moen flow-optimized showerheads use up to 30% less water (compared to traditional showerheads) without sacrificing performance, are certified to meet WaterSense* labeling criteria and contribute toward maximizing LEED* points.

Coordinating Accessories







Danbury® Featured Brushed Nickel Finish

Six Ways to Complete Your Bath

All of our bath accessory collections feature a towel ring, robe hook, 18" and 24" towel bars, and a paper holder. And there is so much more — hotel shelves, tank levers, mirrors and glass shelves are offered in many collections.

Double Curved Shower Rods

With the double curved shower rod, you can create up to 5½" of additional elbow room in the shower while providing visual appeal and adding extra hanging space. These innovative rods are available in several of today's most popular finishes and offer an additional rod to separate the decorative shower curtain from the shower liner

and Pulls

With our distinctive collection of knobs and pulls, you can create a perfectly matched kitchen or bath, available in an array of styles and finishes.

Look for this icon to find products with pivoting innovation! Pivoting Paper Holders

Now there's no excuse to leave the bath tissue roll empty! Many Moen® paper holders feature an innovative, spring-free design that makes changing the roll quick and easy. Simply lift the arm, insert the new roll and set the arm back into place. The pivoting arm remains attached so there's no spring to lose and no extra parts to drop.

Decorative Hotel Shelves

Kingsley®, Eva® and Iso® Decorative Hotel Shelves help create the high-end, coordinated styling of an upscale hotel while adding valuable storage space.

Grab Bars

Stylish grab bars like Voss" bring safety and style to the bath in your choice of Chrome, Brushed Nickel, Oil Rubbed Bronze, Matte Black, and Brushed Gold finishes. Even better, SecureMount™ Anchors make installation possible anywhere on the wall, with or without studs.

Bathroom Lighting

Lighting fixtures are available in ten of the most popular Moen® bathroom collections. All of the styles can be mounted with globes facing either up or down.

In addition to high-end style, our lighting provides installation benefits. The Quick-Connect Wiring System lets you pre-wire the light fixture to the junction box, meaning there is no need to hold the fixture up to the wall during the wiring process. Glazed sockets help ensure the socket rings install with ease. Additionally, the UL®-listed fixtures are backed by the Moen warranty and our industry-leading customer service.



Pro-Fit® Installation System

The Moen[®] three-step Pro-Fit[®] Installation System is the simple, most innovative way to mount bath accessories. Installation is as easy as 1-2-3.



1. DRILL IT

The innovative template has a built-in level for accurate drilling of pilot holes for both 18" and 24" towel bars or paper holders.



2. SCREW IT

The single-screw mounting system creates a fast and solid installation.



3. CLICK IT

The locking tab clicks to hold the post firmly in place and eliminates the need for a set screw.

DRILL IT

Use the installation mounting template with built-in level.

SCREW IT

Screw in fastener.

CLICK IT

Press on the post until it locks into place.



IT REALLY IS THAT SIMPLE!

Plus, we've eliminated the set screw. Designed with input from professional installers, the Pro-Fit Installation System was made for faster installation and fewer callbacks. And of course, there's the extra assurance of quality that comes with the Moen brand.

To view online installation videos, visit **moenpro.com**.




Kitchen Compliments

EXCEPTIONAL FAUCETS ARE ONLY THE BEGINNING

Who says Moen® towel bars are just for the bathroom? With several faucet-matching collections featuring both kitchen and bath fixture options — such as Weymouth®, 90°, Waterhill® and more — we've made sure our accessories can also do double-duty in the kitchen.

Position a towel bar or towel ring beside the kitchen sink or on a kitchen island. Place a hook to hang potholders. Install a decorative shelf to house spices. And don't forget matching drawer knobs and pulls that help you carry the style throughout the workspace.

Kitchen Compliments is about creating a kitchen without compromise. Moen offers exceptional products that deliver all the style and functionality you need in a dream kitchen — now with the convenience of getting it all from one trusted brand. That means a guaranteed style compatibility, quality and satisfaction.







Make Every Bath a Safe Bath™

While bath safety is often only considered for older adults, it should be for all stages of life. From babies to boomers, Moen® offers a full range of products to make baths safe and stylish.

GRAB BARS

GRAB ON TO SAFETY



Moen's line of grab bars is designed to reduce the risk of falls in the tub or shower, while blending in seamlessly with varying styles of bathroom décor.

SHOWER SEATING

SITTING **PRETTY**



Moen seats, chairs and transfer benches make showering safer and more relaxing. Our products not only provide stability, but they also offer a host of convenient features that will make every shower more pleasant, safe and enjoyable.

HANDHELD SHOWERS

PAUSE CONTROL




Water flow is reduced at the touch of a button with this handheld shower's innovative pause control feature. An easyto-turn, oversized spray control offers shower, pulsating or massage sprays in addition to the water-saving pause feature.

SecureMount[™] Grab Bars and SecureMount Anchors make it possible to quickly and easily install a grab bar with or without studs.

SECUREMOUNT SYSTEM







GRAB BARS

ANCHORS

SYSTEM

MOUNT SECURELY TO A VARIETY OF SUBSTRATES*:

- 1/2" drywall
- 1/2" drywall with tile
- 1/2" drywall with marble
- 1/8" fiberglass tub surround
- 5/8" drywall
- 5/8" drywall with tile
- 5/8" drywall with marble
- 1/4" fiberglass tub surround

*Including multiple layers up to 1½" thick

There is a 300-pound weight capacity when securely installed into above substrates. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

EASY, SECURE INSTALL... ANYWHERE ON THE WALL*

1. SECUREMOUNT GRAB BARS

The unique flange makes it easy to connect to the stud at multiple points, at any angle!

2. SECUREMOUNT ANCHORS

Precision-engineered for optimal bracing behind the wall, SecureMount Anchors allow for easy grab bar installation — with no studs required — anywhere on the wall.

3. SECUREMOUNT SYSTEM

The SecureMount System is the ultimate choice in easy, secure grab bar installation. Plus, it provides stylish designs and choices in finishes and features.



SMA1000 SecureMount Anchors

DID YOU KNOW that 16" grab bars can typically mount directly into studs because the standard stud size is 16" on center? 18", 24", 36" and 42" grab bars will often need an anchoring system when mounted into drywall, as an alternative to stud or wood-block installation.















Double Robe Hook YB8003



Towel Ring YB8086



Paper Holder (Roller Only) YB8099

Mounting Posts (Pair) YB8000



Double Paper Holder YB8088 Rollers not included





18" Towel Bar

Mounting Posts

(Bar Only)

YB8098

(Pair)

YB8000

24" Towel Bar (Bar Only) YB8094

Mounting Posts (Pair) YB8000

MASON FINISH OPTIONS











Chrome **(CH)**, Brushed Chrome **(BC)**, Satin Nickel **(SN)**, Old World Bronze **(OWB)**

To view ordering instructions, see reference chart on pages 96-99.



Pro-Fit° Installation Template YB8081

See page 38 to order.

COORDINATING ACCESSORIES



Single Robe Hook DN8303▲



Pivoting Paper Holder DN8308 (P*▲



Towel Ring DN8386▲



Vanity Shelf DN8390▲



24" Double Towel Bar DN8322▲



18" Towel Bar DN8318▲ 24" Towel Bar DN8324▲

RETREAT FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99...

♠ Pivoting Technology ▲ Retail Packaging









18" Towel Bar

24" Towel Bar

Y5718▲

Y5724▲



Single Robe Hook Y5703▲



Paper Holder Y5708▲



Hand Towel Bar Y5786▲

ARLYS FINISH OPTIONS



Chrome (CH), Brushed Nickel (BN), Matte Black (BL)

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging

COORDINATING ACCESSORIES



Single Robe Hook BP1803



Single-Post Paper Holder BP1808



Single-Post Double Paper Holder BP1888

24" Double Towel Bar BP1822

Hand Towel Bar

BP1886



Rectangular Mirror BP1892

TRIVA FINISH OPTIONS







To view ordering instructions, see reference chart on pages 96-99..



18" Towel Bar

24" Towel Bar

BP1818

BP1824











Single Robe Hook DN0703▲



Pivoting Paper Holder DN0708 (P ▲



Single-Post Paper Holder DN0709▲



Towel Ring DN0786▲



Towel Shelf DN0794



24" Double Towel Bar DN0722▲



Mirror DN0792▲



Vanity Shelf DN0790▲



18" Towel Bar DN0718▲





12" Designer Grab Bar YG0712

18" Designer Grab Bar YG0718

24" Designer Grab Bar YG0724

36" Designer Grab Bar YG0736

42" Designer Grab Bar YG0742



Drawer Knob DN0705▲



Drawer Pull DN0707▲



One Globe Bath Light DN0761



Two Globe Bath Light DN0762



Three Globe Bath Light DN0763



Four Globe Bath Light DN0764

ISO FINISH OPTIONS







To view ordering instructions, see reference chart on pages 96-99.

Pivoting Technology ▲ Retail Packaging



All lighting fixtures can be mounted facing either upward or downward (rings need to be removed if mounted up). Bulbs not included.











Tank Lever DN6801▲



Single Robe Hook
DN6803▲



Paper Holder DN6808▲



Towel Ring DN6886▲



Freestanding Paper Holder DN6850▲



Vanity Shelf DN6890▲



Mirror DN6892▲



24" Double Towel Bar DN6822▲



18" Towel Bar DN6818▲ **24" Towel Bar** DN6824▲

SAGE FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging

Kyvos™

Lounge™



18" Towel Bar

24" Towel Bar

BP3724

BP3718









COORDINATING ACCESSORIES



Double Robe Hook BP3703



Paper Holder BP3708



Towel Ring BP3786

KYVOS FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

COORDINATING ACCESSORIES



Double Robe Hook DN7703▲



European Paper Holder DN7708▲



Towel Ring DN7786▲

24" Double Towel Bar DN7722▲



18" Towel BarDN7718▲ **24" Towel Bar**DN7724▲



Vanity Shelf DN7790▲

LOUNGE FINISH OPTIONS






Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging











Double Robe Hook BP6903▲



European Paper Holder BP6980



Paper Holder BP6908



Towel Ring BP6986▲



18" Towel Bar BP6918▲

24" Towel Bar BP6924▲

MADISON FINISH OPTIONS







Chrome (CH), Old World Bronze (OWB), Pewter (PW)

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging

COORDINATING ACCESSORIES



Double Robe Hook DN8403▲



European Paper Holder DN8408▲



Towel Ring DN8486▲



Vanity Shelf DN8490▲



24" Double Towel Bar DN8422▲



18" Towel Bar DN8418▲ 24" Towel Bar

DN8424▲

PRESTON FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging

Edgestone® Stockton® Moen.com | Coordinating Accessories and Safety | 57















COORDINATING ACCESSORIES



Single Robe Hook YB4603



European Paper Holder YB4609



Towel Ring YB4686



18" Towel Bar (Bar Only) YB4698

Mounting Posts (Pair) YB4600



24" Towel Bar (Bar Only) YB4694

Mounting Posts (Pair)
YB4600

EDGESTONE FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

FEATURED INNOVATIONS



Pro-Fit° Installation Template YB8081

See page 38 for details

COORDINATING ACCESSORIES



Double Robe Hook
DN4103▲



Pivoting Paper Holder
DN4108 (▲



Towel Ring DN4186▲



18" Towel Bar DN4118▲

24" Towel Bar DN4124▲



Freestanding Paper Holder DN4150▲

STOCKTON FINISH OPTIONS



Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

- Pivoting Technology
- ▲ Retail Packaging















Double Robe Hook DN6703▲



European Paper Holder DN6708▲



18" Towel Bar DN6718▲

24" Towel Bar DN6724▲



Towel Ring DN6786▲

DANBURY FINISH OPTIONS





Brushed Nickel (BN), Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging

COORDINATING ACCESSORIES



Double Robe Hook 5303▲ BP5303



Paper Holder 5308▲ BP5308



European Paper Holder BP5380



18" Towel Bar 5318▲ BP5318

24" Towel Bar 5324▲
BP5324



Towel Ring BP5386▲

YORKSHIRE FINISH OPTIONS








To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging





Paper Holder 5808CH▲ BP5808CH▲



18" Towel Bar 5818CH▲

24" Towel Bar 5824CH▲ BP5824CH▲



Towel Ring 5886CH▲ BP5886CH▲



Single Robe Hook 5802CH▲

ASPEN FINISH OPTIONS



Chrome (CH

To view ordering instructions, see reference chart on pages 96-99.

▲ Retail Packaging

COORDINATING ACCESSORIES



Mirror DN08920RB

GILCHREST FINISH OPTIONS



Oil Rubbed Bronze (ORB)

To view ordering instructions, see reference chart on pages 96-99.

Glenshire[™] 30" Towel Bars





COORDINATING ACCESSORIES



Mirror DN2692CH

GLENSHIRE FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN)

To view ordering instructions, see reference chart on pages 96-99.

COORDINATING ACCESSORIES









30" Towel Bar Only DN9830NL [%" diameter)





30" Towel Bar OnlyDN9830BC (5%" diameter)



DN9830SN (5%" diameter)




TOWEL BAR FINISH OPTIONS



Chrome (CH), Brushed Chrome (BC), Brushed Nickel (BN), Satin Nickel (SN), Polished Nickel (NL), Oil Rubbed Bronze (ORB), Matte Black (BL)

PRODUCT DETAILS

Order both a 30" bar shown here and an 18" towel bar set (or posts only, if available).



Adjustable Curved Shower Rods



SHOWER RODS



Double Curved Shower Rod DN2141CH▲



Double Curved Shower Rod DN21410WB▲



Double Curved Shower Rod DN2141BN▲



Double Curved Shower Rod DN2141BL▲



Double Curved Shower Rod DN2141NL▲

SHOWER ROD FINISH OPTIONS PRODUCT DETAILS











▲ Retail Packaging



- Provides up to 5.5" more elbow room in the shower
- Features decorative covers
- Separates the curtain and liner
- Adjusts from 57" to 60"
- Works with standard 72" × 72" shower curtains
- Adjustable curved rod
- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen* shower curtain rings can be purchased separately. See page 71.

SHOWER RODS



Adjustable Curved Shower Rod CSR2160CH

Adjustable Curved

Shower Rod

CSR2164CH

Low-Profile

Shower Rod

CSR2168CH

Adjustable Curved



Shower Rod

CSR2164BN

Low-Profile

Shower Rod

CSR2168BN

Adjustable Curved

Adjustable Curved Shower Rod CSR2160BN



Adjustable Curved





Adjustable Curved Shower Rod CSR2164BG



Adjustable Curved Shower Rod CSR2160NL



Adjustable Curved Adjustable Curved Shower Rod Shower Rod CSR2164NL CSR21640WB



Adjustable Curved Adjustable Curved Shower Rod Shower Rod CSR21600WB CSR2160BL



Adjustable Curved Shower Rod CSR2164BL



Low-Profile **Adjustable Curved** Shower Rod CSR2168BL

SHOWER ROD FINISH OPTIONS



Chrome (CH) Brushed Nickel (BN) Brushed Gold (BG), Polished Nickel (NL), Oil Rubbed Bronze (ORB), Matte Black (BL)

PRODUCT DETAILS

- 304 Stainless Steel
- CSR2168 adjust to fit shower enclosures between 54" and 60". CSR2160 and CSR2164 adjust to fit shower enclosures between 54" and
- Superior strength weight load capacity of more than 120 lb. (based on independent lab testing)
- No cutting required
- Pivoting flanges provide an easy, secure installation on inconsistent or uneven wall surfaces
- Drywall anchors are included with all curved shower rods

FEATURED INNOVATIONS

Flanges Pivot 180 degrees for an easy install.







Shower curtains and shower curtain rings are not included with shower curtain rods. Moen shower curtain rings can be purchased separately. See page 71.

Fixed-Length **Curved Shower Rods**

SHOWER RODS



Fixed-Length Decorative Curved Shower Rod Set - Pivoting CSR2165 / CSR2166



Fixed-Length Low-Profile Curved Shower Rod - Pivoting



Fixed-Length Curved Shower Rod Set - Non-Pivoting



Fixed-Length Low-Profile Curved Shower Rod - Non-Pivoting



Fixed-Length Curved Shower Rod - Non-Pivoting Flanges* 2-102-5*/65-F-BS/65-F-PS

SHOWER ROD FINISH OPTIONS













PRODUCT DETAILS

- Corrosion-resistant
- Drywall anchors are included with all curved shower rods

FEATURED INNOVATIONS

CSR2165 / CSR2166 Series: Flanges Pivot 180 degrees for an easy install.







Shower curtain rings are not included with shower curtain rods. Moen shower curtain rings can be purchased separately. See * For a complete curved shower rod unit, order

both the curved rod and low-profile flange kit.

Tension Curved Shower Rods







SHOWER RODS



Tension Curved Shower Rods CSR2172CH



Tension Curved Shower Rods CSR2172BN

SHOWER ROD FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN),

PRODUCT DETAILS

- Adjusts to fit spaces between 57" and 60"
- Corrosion-resistant
- Works with standard 72" x 72" shower curtains
- Easy installation: expand the bar to the correct size, apply tension and snap on the decorative
- Adjustable curved rod
- Secure holding strength

Decorative Tension Shower Rods

SHOWER RODS



Decorative Tension Shower Rod TR1000CH▲




Decorative Tension Shower Rod TR1000BN▲



Decorative Tension Shower Rod TR10000WB▲



Decorative Tension Shower Rod TR1032BN▲ only available in Brushed Nickel



Shower Curtain Rings







SHOWER CURTAIN RINGS



Double Shower Curtain Roller Rings SR2201CH▲



Double Shower Curtain Roller Rings SR2201BN▲



Double Shower Curtain Roller Rings SR2201NL▲



Double Shower Curtain Roller Rings SR22010WB▲



Double Shower Curtain Roller Rings SR2201BL



Single Shower Curtain Roller Rings SR2100CH



Single Shower Curtain Roller Rings SR2100BN



Single Shower Curtain Roller Rings SR21000WB

SHOWER ROD FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN),

▲ Retail Packaging

PRODUCT DETAILS

- Rod expands from 44" to 72"
- Adjustable straight rod
- Corrosion-resistant

FEATURED INNOVATIONS

with **FASTBLOCK**™ technology

No tools, no additional hardware, no long installation. In fact, our tension rods with FastLock™ technology can be up in a matter of minutes.

Shower curtains and shower curtain rings are not included with shower curtain rods. Moen® shower curtain rings can be purchased separately. See page 249 .

CURTAIN RING FINISH OPTIONS











▲ Retail Packaging

PRODUCT DETAILS

- Corrosion-resistant
- Fits curved and straight shower rods
- Smooth-rolling ball bearings eliminate snagging, tugging and pulling
- Includes 12 rings per package
- Separates decorative shower curtain from your
- Offset hook design helps hide your bath liner from view

Options

Moen Lighting

Whether your tastes lean traditional, modern or somewhere in between, Moen offers a bath lighting choice that will fit your style. Our distinctive lighting options are designed to accent some of our leading faucets. With nine collections to choose from, it's never been easier to tie together the look of your bathroom. Built in the Moen tradition, our lighting offers quality, durability and style.





Waterhill Bath Lighting YB9862

VINTAGE and full of character, Waterhill lighting brings provincial elegance to today's more traditional homes.



Options

Options

Flara® Bath Lighting YB0362

BALANCED design that blends modern flare and traditional elegance gives Flara it's eye-catching appeal, and creates a new vision of glamour.

See page 8 for product details.



Colinet[®] Bath Lighting YB0562

TAILORED traditional, modern glamour, industrial chic ... all in one. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details.

See page 10 for product details.



90°[™] Bath Lighting YB8862

ULTRA-MODERN styling makes 90° lighting a study in minimalism. Geometric forms, squared corners and straight lines create an urban focal point for today's contemporary rooms

See page 12 for product details.



Voss* Bath Lighting YB5162

CRISP edges and uncomplicated style gives Voss lighting an ageless yet fashion-forward presence for transitional style rooms.

See page 18 for product details.



Belfield® Bath Lighting YB6462

WILLIAMSBURG-ERA details and intricate design cues give each Belfield light a timeless look, while multiple finish options add a distinctly personalized touch to the traditional styling.

See page 20 for product details.



Brantford° Bath Lighting YB2262

INTRICATE architectural features that transcend time ensure that Brantford lighting gives any room a polished, traditional look. The globe finial gives this collection a universal appeal.

See pages 29 for product details.



Eva Bath Lighting

FLOWING curves give Eva lighting's transitional design a pure and organic form, providing a relaxed feeling to any room.

See page 31 for product details.



Iso[™] **Bath Lighting** DN0762

TELESCOPING, machined—metal design is Iso lighting's take on European minimalism as it boldly, and beautifully, embraces the future.

See page 49 for product details.



90° Lighting Featured in Brushed Nickel Finish

Options





Weymouth® Drawer Knob





VINTAGE details throughout Weymouth's design make a gracious, extravagant design statement.

See page 3 for product details.



Options

90° Drawer Knob YB8805



90° Drawer Pull YB8807

ULTRA-MODERN styling makes 90° knobs and pulls a study in minimalism. Geometric forms create an urban focal point for today's contemporary rooms.

See page 11 for product details.



Flara® Drawer Knob YB0305



Flara Drawer Pull YB0307

BALANCED design that blends modern flare and traditional elegance gives Flara it's eye-catching appeal.

See page 7 for product details.







Kingsley Drawer Pull YB5407

CLASSIC yet understated design details in Kingsley knobs and pulls create enduring, stand-out style.

See page 22 for product details.



Colinet[™] Drawer Knob



YB0507

TAILORED traditional, modern glamour, industrial chic ... all in one. Colinet's uniquely versatile design blends elegant, contemporary elements with beautiful details.

See page 9 for product details.



Options





Iso Drawer Pull DN0707

TELESCOPING, machined-metal design of Iso knobs and pulls takes inspiration from European minimalism as it boldly, and beautifully, embraces the future.













See page 46 for product details.



Donner® Straight Shower Rods

ALUMINUM RODS • 1" DIAMETER



5ft Rod with Chrome-Plated Adjustable Flanges



6ft Rod with Chrome-Plated Adjustable Flanges



5ft Rod with Chrome-Plated Poly Adjustable Flanges



5ft Rod with Exposed Chrome-Plated **Flanges**



6ft Rod with Chrome-Plated Poly Adjustable Flanges

Chrome 2-100-5A

HEAVY-DUTY STAINLESS STEEL RODS • 1" DIAMETER



5ft Polished Stainless Steel Rod with Chrome-Plated Adjustable Flanges 52-5-SS



5ft Polished Stainless Steel Rod with **Exposed Chrome-Plated Flanges**



5ft Polished Stainless Steel Rod with Concealed Brushed Stainless Steel Flanges



5ft Polished Stainless Steel Rod with **Concealed Chrome Flanges** 61-5-SS



5ft Polished Stainless Steel Rod with **Exposed Chrome-Plated Flanges** 63-5-SS



5ft Polished Stainless Steel Rod with **Exposed Brushed Stainless Steel Flanges** 58-5


RODS WITH ADJUSTABLE FLANGES



5ft Stainless Steel Rod with Adjustable Flanges (1 set), Brushed Nickel 52-5-BN



5ft Aluminum Rod with Adjustable Flanges (1 set), Old World Bronze 52-5-0WB



Chrome-Plated Adjustable Flange 52-F

Donner®

Build-Your-Own

Straight Shower Rod

STEP #1: PICK YOUR ROD

1" x 5ft Smooth Aluminum Rod,

1" x 6ft Smooth Aluminum Rod,

ALUMINUM

Chrome

2-100-6A



Chrome-Plated Poly Adjustable Flange



Brushed Stainless Steel Concealed Flange

POLISHED STAINLESS STEEL

1" x 5ft .035 Polished

Stainless Steel Rod

1" x 5ft .015 Polished

Stainless Steel Rod

2-100-5SS

2-10155SS



Brushed Stainless Steel Exposed Flange 58-F



Chrome Concealed Flange



Chrome Exposed Flange

Donner® Contemporary

ACCESSORIES



18" Aluminum Bar Only 23418A



Chrome Finish Plastic Roller



Double Robe Hook P5030



Wallmount Toothbrush Holder P5340



Towel Ring / Lucite Ring P5500



24" Aluminum Bar Only 23424A



Chrome Finish Metal Roller 3CH



3/4" Chrome Towel Bar Posts for Square Bars (Pair) P5100



Wallmount Soap Holder P5360



Towel Ring / Lucite Ring P5860



30" Aluminum Bar Only 23430A



White Plastic Roller



18" Towel Bar Set with Aluminum Bar P5118



Paper Holder, White Roller P5080



Paper Holder, Chrome Roller P5050



24" Towel Bar Set with Aluminum Bar P5124

FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN), Stainless Steel

Donner® Stainless Steel

Moen.com | Bath Accessories and Safety | 79

ACCESSORIES



18" Stainless Steel Bar Only 23418SS



3/4" Stainless Steel Towel Bar Posts (Pair) P1700



Double Robe Hook P1703



24" Stainless Steel Bar Only 23424SS



18" Towel Bar Set P1718



Towel Ring P1786



30" Stainless Steel Bar Only 23430SS



24" Towel Bar Set P1724



Paper Holder, Plastic Roller P1780

Donner® Economy Metal

ACCESSORIES



Single Robe Hook



Paper Holder, White Roller



18" Towel Bar Set with Aluminum Bar 910A18



18" Aluminum Bar Only 25818A



Towel Ring / Lucite Ring



5/8" Square Towel Bar Posts (Pair) 910



24" Towel Bar Set with Aluminum Bar 910A24



24" Aluminum Bar Only 25824A

Donner® Hotel/Motel

Moen.com | Bath Accessories and Safety | 81

HOTEL SHELVES



Stainless Steel 24" Towel Shelf R5519▲

SHOWER BASKETS



Corner Shower Basket YB0275CH



Corner Shower Basket YB0275BN



Corner Shower Basket YB0275BL

MISCELLANEOUS



Recessed Coverless Facial Tissue box, Chrome Finished Fits Wall opening 10 1/2" x 5" x 2 1/4" 5520NC



Double Recessed Paper Holder, Chrome Roller , Horizontal, Overall Dimensions 12 1/2" x 6 1/4" -Wall Opening 11 3/8" x 5 1/4" x 1 1/2" 5577



Heavy Duty Retractable Clothesline, Polished Stainless Steel, Length 7'6" RR5506HD



Recessed Facial Tissue box, Chrome Finished Fits Wall opening 10 1/2" x 5" x 2 1/4" RR5520SS



Extra Roll Recessed Paper Holder, White Roller, Overall Dimensions 6 1/4" x 6 1/4" -Wall Opening 5 1/4" x 5 1/4" x 4" 5571

FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Matte Black (BL)

▲ Retail Packaging

Donner® Recessed Fixtures

RECESSED PAPER HOLDERS



Recessed Paper Holder (Includes 588 Clamp) DN5075





Recessed Paper Holder (Included 588 Clamp) DN5075W



Paper Holder, Chrome Roller (Utilizes BR587 or 588 Clamp)* 575



Paper Holder, White Roller (Utilizes BR587 or 588 Clamp)* 1576SS



Recessed Paper Holder, Matching Roller (Utilizes BR587 or 588 Clamp)* 2575

MISCELLANEOUS



Soap Holder and Utility Bar (utilizes BR587 or 588 Clamp)* 2565CH



C-Clamp (Boxed) 588



Clamp with Retaining Spring (Boxed) BR587

FINISH OPTIONS









PRODUCT DETAILS

- *Clamps must be ordered separately.
- Chrome-Plated
- Overall Dimensions 61/4" × 61/4" Wall Opening 51/4" × 51/4" × 2"
- Polished Brass Finish


 Overall Dimensions 61/4" × 61/4"

 Wall Opening 51/4" × 51/4" × 2"

- Polished Stainless Steel
 Overall Dimensions 61/4" × 61/4"
 Wall Opening 51/4" × 51/4" × 2"
- Economy Size Zinc Die Cast

 Overall Dimensions 61/4" × 51/4"

 Wall Opening 51/4" × 41/4" × 11/2"



Thick lines represent wall studs that Back wall: Full or partial length of the bathtub are located behind your bathroom wall Α C В SecureMount™ Anchors make it possible to Faucet wall: Vertical and/or horizontal bar quickly and easily install a grab bar without studs

Note: Wall stud spacing may vary

HOW MANY GRAB BARS DO I NEED AND WHERE SHOULD THEY BE INSTALLED?

Health professionals typically recommend three grab bars in a bathroom:

- At least one near the toilet
- At least one along the showerhead wall or whichever end of the tub/shower you use to
- At least one along the back wall in the bathtub or shower

WHO SHOULD USE GRAB BARS?

Everyone! People of all ages and abilities can benefit from using grab bars.

WHAT CAN A GRAB BAR DO?

- Reduce risk of falling in the tub or shower
- Help steady yourself while getting into and out of the bathtub or shower
- Assist in safely lowering and raising from a seated position

THINGS TO CONSIDER WHEN SELECTING A GRAB BAR(S):

- Length: Select a grab bar that is the suitable length for your bath or shower area.
- Weight Capacity: Choose a grab bar that at least meets ADA requirements (250 lbs.); SecureMount Grab Bars have a 500-pound weight-pull capacity that exceeds ADA requirements (when securely installed into studs).
- Installation: Grab bars that feature SecureMount have a design that allows for secure installation into a stud or wood backing at any angle. When using SecureMount Anchors, there is no need for installation into a stud or wood backing.
- **Grip Surface:** Consider a grab bar with a textured surface or grip feature that provides a better hold in a wet bathroom environment.
- Finish: Consider a grab bar that matches your faucet and other fixtures.

Faucet-Matching **Grab Bars**



GRAB BARS - 11/2" CONCEALED SCREW





Available in 12", 18", 24", 36" and 42" lengths.



Align^o Designer Grab Bar YG04 Series &

LENGTH OPTIONS

Available in 12". 18". 24", 36" and 42" lengths. Brushed Gold only available in 12" and 18"



Flara[®] Designer Grab Bar YG03 Series &

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.



90° Designer Grab Bar YG88 Series 🗞

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.



Finish

Voss" Designer Grab Bar YG51 Series 🕹

I FNGTH OPTIONS

Available in 12". 18" and 24" lengths.



SecureMount**

See page 43 for details. SecureMount™ Anchors for non-stud installation sold separately.



Belfield[™] Designer Grab Bar YG64 Series 🗞

I FNGTH OPTIONS

Available in 12". 18" and 24" lengths.

ADA-Compliant



Ontions

Finish

Faucet-Matching **Grab Bars**

Designer Grab Bars









GRAB BARS



Kingsley[™] Designer Grab Bar YG54 Series 💩

LENGTH OPTIONS

Available in 12", 18", 24", 30", 36" and 42" lengths. Oil Rubbed Bronze only available in 12", 18" and 24"



Eva[®] Designer Grab Bar YG28 Series 🚳

LENGTH OPTIONS Available in 12", 18" and 24" lengths.



Options

Brantford® Designer Grab Bar YG22 Series 🚳

LENGTH OPTIONS

Available in 12", 18" and 24" lengths.

COORDINATING GRAB BARS



YG07 Series &

LENGTH OPTIONS

Available in 12", 18", 24", 36" and 42" lengths.

DESIGNER GRAB BARS A



Designer Elegance with Grip Pads

1 1/4" Diameter Concealed Screw R8716D1GCH LR8724D1G 🚳

LENGTH OPTIONS

Available in 16" and 24" lengths.



Designer Elite

1 1/4" Diameter Concealed Screw LR8724D2CH 🚳

LENGTH OPTIONS

Available in 24" length.



Designer Ultima

1 1/4" Diameter Concealed Screw

LR8716D3CH 🚳

LENGTH OPTIONS

Available in 16" and 24" lengths.



Designer Ultima with Curl Grips

1 1/4" Diameter Concealed Screw LR8716D3GCH &

LENGTH OPTIONS

Available in 12", 16" 18", 24", 36", 42" and 48" lengths.



Designer Elegance Angled Grab Bar with Grip Pads

1 1/4" Diameter Concealed Screw RA8716D1GBN 🚳

LENGTH OPTIONS

Available in 16" length.

FEATURED INNOVATIONS

Genta" Designer Grab Bar

MBHG38 Series 🕹

LENGTH OPTIONS

Available in 18" length.

SecureMount**

See page 43 for details. SecureMount™ Anchors for non-stud installation sold separately.

ADA-Compliant

FINISH OPTIONS





Chrome (CH), Brushed Nickel (BN), Oil Rubbed Bronze (OWB)

Not all lengths come in all finishes.

FEATURED INNOVATIONS

Secure Mount**

See page 43 for details. SecureMount™ Anchors for non-stud installation sold separately.

▲ Retail Packaging is available for some models.

& ADA-Compliant





CONCEALED SCREW GRAB BARS



1 1/4" Concealed Screw **Grab Bar** 8716 🕲



1 1/2" Concealed Screw **Grab Bar** R8916 🚳

FINISH OPTIONS







Polished Stainless Steel (PS), White Powder Coat (W)

PEENED GRAB BARS



1 1/4" Peened Grab Bar R8712 🕲



1 1/2" Peened Grab Bar R8912P 🚳



Peened L-Shaped Grab Bar 8992 🚱

FINISH OPTIONS



Stainless Steel



R8960FD 🚳

Flip-Up Grab Bars, Peened

1 1/4" Exposed Screw

FLIP-UP GRAB BARS

Grab Bar

7412 🕒

EXPOSED SCREW GRAB BARS



Flip-Up Grab Bars, White R8960FDW 🚳

1 1/2" Exposed Screw

Grab Bar

LR7524▲ 🕹

FINISH OPTIONS



Stainless Steel, White (W)

FINISH OPTIONS





White (W)

LENGTH OPTIONS

Available in 12", 16", 18", 24", 30", 32", 36", 42" and 48" lengths.

FEATURED INNOVATIONS

SecureMount**

See page 43 for details. SecureMount™ Anchors for non-stud installation sold separately.

▲ Retail Packaging

* Retail Packaging available for Polished Stainless Steel finish only.

ADA-Compliant

Not all lengths come in all finishes.

LENGTH OPTIONS

Available in 12", 18", 24", 36", 42" lengths.

FEATURED INNOVATIONS

SecureMount[™]

See page 43 for details. SecureMount™ Anchors for non-stud installation sold separately.

▲ Retail Packaging

Not all lengths come in all finishes.

& ADA-Compliant

Grab Bars with Accessories

GRAB BARS



24" Grab Bar with Towel Bar LR2350D▲



8" Grab Bar with Paper Holder LR2352D ▲



9" Grab Bar with Corner Shelf LR2354D▲



16" Grab Bar with Shelf LR2356D*







FINISH OPTIONS







Chrome (CH), Brushed Nickel (BN), Old World Bronze (OWB)

FEATURED INNOVATIONS

SecureMount**

See page 43 for details.

SecureMount™ Anchors for non-stud installation sold separately.

- * Retail Packaging available for Chrome finish only.

SecureMount™ **Anchors**







ANCHORS



SecureMount™ Anchors and Plates - 10 Pairs SMA1001



SecureMount™ Anchors and Plates - 1 Pair

FINISH OPTIONS





Chrome (CH), Old World Bronze (OWB)

PRODUCT DETAILS

300 lb. weight capacity when securely installed per instructions. Limited Lifetime Warranty. Independently tested by CSA and NAHB laboratories to exceed ADA, ASTM, ANSI and CSA standards.

Not all items come in all finishes.

Hand Grips and Balance Assist Bars

GRAB BARS



Designer Hand Grip LR2250DCH ▲



Exposed Screw Hand Grip





FINISH OPTIONS



Available in 9", 16" and 24" lengths.

LENGTH OPTIONS

PRODUCT DETAILS

Each hand grip is tested to a 250 lb. weight capacity (when securely installed per instructions) and is easy to install.

▲ Retail Packaging

 $\ensuremath{N}\xspace$ ot all lengths come in all finishes.

Tub/Shower Chairs, Seats and Transfer Benches







Fold-Down Teak Shower Seat DN71100WB & DN7110SS &



Tool-Free Shower Chair DN7064 ▲ 🗞

Adjustable Shower Seat



Adjustable Tool-Free Tub and Shower Chair DN7060 & 😵



Adjustable Tub and Shower Seat DN7025▲ ❸



Tranfer Bench
DN7105▲ 🍪





▲ Retail Packaging

DN7030▲ 🍪



Tub, Shower and Toilet Safety Moen.com | Bath Accessories and Safety | 94







TUB, SHOWER AND TOILET SAFETY



Elevated Toilet Seat DN7020▲ 🕹



Toilet Safety Rails DN7015▲ 🚳



SecureLock™ Tub Grip DN7175▲ 💩



Locking Dual Tub Grip DN7075▲ 🍪



Multi-Grip Tub Safety Bar DN7005▲ 🍪



Low-Prifile Tub Safety Bar DN7010▲ 🍪



Bath Mat DN7050▲ 🚳

Handheld Showers









HANDHELD SHOWERS



Chrome Pause Control Handheld Shower DN8001CH▲ **⑤**



White Pause Control Handheld Shower DN8001W▲ 🚳

FINISH OPTIONS



▲ Retail Packaging

& ADA-Compliant

FINISH OPTIONS



Chrome (CH), White (W)

PRODUCT DETAILS

Multifunction Design

- Shower Spray
- Massage Spray
- Pulsating Spray
- Pause Feature

▲ Retail Packaging & ADA-Compliant

Bath-Matching Accessories Finishes

| PREMIUM COLLECTION | Chrome (-) | Brushed Chrome (BC) | Brushed Nickel (BN) | Polished Nickel (NL) | Satin Nickel | Oil Rubbed Bronze (ORB) | Old World Bronze (OWB) | Matte Black (BL/WR) | Brushed Gold (BG) |
|-----------------------|------------|---------------------------|---------------------------|-------------------------------------|--------------|--|------------------------------|---------------------|----------------------------------|
| Weymouth® | | | | | | • | | • | |
| Arris® | • | | • | | | | | • | |
| Flara® | • | | • | • | | | | | • |
| Colinet™ | • | | • | | | | | • | • |
| 90°™ | • | | • | | | | | | |
| Doux™ | • | | • | | | | | • | |
| | | | | | | | | | |

| | Chrome | Brushed Chrome | Brushed Nickel | Polished Nickel | Satin Nickel | Oil Rubbed Bronze | Old World Bronze | Matte Black | Brushed Gold |
|------------|--------|-------------------|-------------------|--------------------|-----------------|----------------------|---------------------|-------------|-----------------|
| COLLECTION | (-) | (BC) | (BN) | (NL) | (SN) | (ORB) | (OWB) | (BL/WR) | (BG) |
| Wynford™ | • | | • | • | | • | | | |
| Align® | • | | • | | | | | • | • |
| Voss™ | • | | • | • | | • | | | |
| Belfield™ | • | | • | • | | • | | • | |
| Kingsley® | • | | • | | | • | | • | |
| Genta™ | • | | • | | | | | • | |
| Dartmoor™ | • | | • | | | • | | • | |
| Glyde™ | • | | • | | | | | • | |
| Brantford® | • | | • | | | • | | | |
| Eva® | | | | | | | | | |

Coordinating Accessories Finishes

Moen.com | Reference | 97

| COLLECTION | Chrome | Brushed Nickel (BN) | Satin Nickel | Oil Rubbed Bronze (ORB) | Old World Bronze (OWB) | Pewter (PW) | Matte Black | Brushed Gold (BG) |
|------------|--------|------------------------------------|--------------|--|---------------------------------------|-------------|-------------|----------------------------------|
| Retreat® | • | | | | | | | |
| Iso™ | • | • | | | | | • | • |
| Arlys™ | • | • | | | | | • | |
| Triva™ | • | • | | | | | • | |
| Sage® | • | • | | • | | | | |
| Kyvos™ | | • | | | | | | |
| Lounge™ | | • | | | | | | |
| Madison™ | | | | | • | • | | |
| Preston™ | | • | | | | | | |
| Edgestone® | | • | | | | | | |
| Stockton® | | | | | | | | |
| Danbury® | | • | | • | | | | |
| Yorkshire™ | • | | • | | • | | | |
| Aspen™ | • | | | | | | | |
| Mason® | | | | | | | | |

To order combine the product model number with one of the available finish letters

Please see moen.com/consumer-support/warranty for complete product warranty information.

Bath-Matching Accessories

Please see moen.com/consumer-support/warranty

| COLLECTION | Tank Lever | Robe Hook | Knob & Pull | Paper Holder | Single Towel Bar | Double Towel Bar | Hand Towel Bar/Ring | Lighting | Grab Bar | Additional Feature Items |
|-------------|--------------------------|------------------------------|---------------------------------|------------------------------|------------------------------|------------------------|------------------------------|----------------------------------|---------------------------------|-----------------------------|
| Wynford® | • | • | Coordinates with Kingsley | • | • | • | • | Coordinates with Waterhill | | Corner Shower Basket |
| Align® | | • | Coordinates with Iso | • | • | | • | Coordinates with Iso | • | |
| Voss™ | • | • | Coordinates with 90° | • | • | | • | • | • | Hair Dryer Holder |
| Belfield™ | • | • | Coordinates with Weymouth | • | • | • | • | • | • | |
| NEW Cia™ | | Coordinates with Align | Coordinates with Iso | Coordinates with Align | Coordinates with Align | | Coordinates with Align | Coordinates with Iso | Coordinates with Align | |
| Kingsley® | • | • | • | • | • | • | • | Coordinates with Waterhill | • | Glass Shelf Towel Shelf |
| Genta™ | | • | | • | • | | • | | | |
| Dartmoor™ | • | • | Coordinates with Flara | • | • | | • | Coordinates with Belfield | Coordinates with Belfield | |
| Glyde™ | Coordinates with Doux | • | Coordinates with Iso | • | • | | • | | | |
| Brantford® | • | • | Coordinates with Kingsley | • | • | | • | • | • | |
| Eva® | • | • | Coordinates with Iso | • | • | | • | • | • | Towel Shelf |

Premium Bath-Matching Accessories Reference 199

| PREMIUM COLLECTION | Tank Lever | Robe Hook | Knob & Pull | Paper Holder | Single Towel Bar | Double Towel Bar | Hand Towel Bar/Ring | Lighting | Grab Bar | Additional Feature Items |
|-----------------------|---------------|--------------|-------------------------|-----------------|------------------------|------------------------|---------------------------|----------------------------------|---------------------------------|-----------------------------|
| Weymouth® | • | • | • | • | • | | • | Coordinates with Waterhill | Coordinates with Kingsley | |
| Arris® | • | • | Coordinates with Iso | • | • | | • | Coordinates with Iso | • | Magnifying Mirror |
| Flara® | • | • | • | • | • | • | • | • | • | Mirror and Glass Shelf |
| Colinet™ | • | • | • | • | • | | • | • | | |
| Waterhill® | | | | | | | | • | | |
| 90°™ | • | • | • | • | • | | • | • | • | |
| Doux™ | • | • | | • | • | | • | | | Corner Shower Basket |

Coordinating Accessories

| COLLECTION | Tank Lever | Robe Hook | Knob & Pull | Paper Holder | Single Towel Bar | Double Towel Bar | Hand Towel Bar/Ring | Lighting | Grab Bar | Shelf |
|-------------------|---------------------------|--------------|------------------------------|-----------------|------------------------|------------------------|---------------------------|-------------------------------|------------------------------|--|
| Retreat® | Coordinates with Voss | • | | • | • | • | • | Coordinates with Voss | Coordinates with Voss | Glass Shelf |
| Iso™ | Coordinates with Arris | • | • | • | • | • | • | • | • | Mirror Glass Shelf Towel Shelf |
| Arlys | | • | | • | • | | • | | | |
| Triva™ | | • | | • | • | • | • | | | Mirror |
| Sage [®] | • | • | | • | • | • | • | | | Mirror Glass Shelf Freestanding Paper Holder |
| Kyvos™ | Coordinates with 90° | • | Coordinates with 90° | • | • | | • | Coordinates with 90° | Coordinates with 90° | |
| Lounge™ | | • | | • | • | • | • | | | Glass Shelf |
| Madison™ | | • | Coordinates with Kingsley | • | • | | • | Coordinates with Waterhill | Coordinates with Kingsley | |
| Preston™ | | • | | • | • | • | • | | | Glass Shelf |
| Edgestone® | | • | | • | • | | • | | | |
| Stockton® | | • | | • | • | | • | | | Freestanding Paper Holder |
| Danbury® | | • | | • | • | | • | | | |
| Yorkshire™ | | • | | • | • | | • | | | |
| Aspen™ | | • | | • | • | | • | | | |
| Mason® | | • | | Two Options | • | | • | | | |

PRICE BAND IDENTIFICATION

Matching Accessories

Arris - MODERN

Colinet - TRADITIONAL

Doux" - MODERN

Flara - TRANSITIONAL

Weymouth® - TRADITIONAL

90°™ - MODERN

Align® – MODERN

 $Belfield \~- TRADITIONAL$

Kingsley - TRADITIONAL

Voss* - TRANSITIONAL

Wynford - TRADITIONAL

Dartmoor - TRADITIONAL

Glyde" - TRANSITIONAL

Brantford® - TRADITIONAL

Eva° - TRANSITIONAL

Genta" - MODERN

Coordinating Accessories

Arlys

⁻ - MODERN

Triva" - MODERN

Aspen - MODERN

Danbury - TRADITIONAL

Edgestone - MODERN

Iso° - MODERN

Kyvos" - MODERN

Lounge - TRANSITIONAL

Madison" - TRADITIONAL

Preston - TRADITIONAL

Retreat - TRADITIONAL

Sage - TRANSITIONAL

Stockton - TRADITIONAL

Yorkshire - TRANSITIONAL

Mason® - TRANSITIONAL

Coordinating Accessory - Mirror Only

Gilcrest - TRADITIONAL

Glenshire - TRADITIONAL

| KE | Y | | | | | |
|------------------------------------|----------------------------------|--|--|--|--|--|
| | Premium / Best | | | | | |
| | 2 nd Upgrade / Better | | | | | |
| | 1st Upgrade / Good | | | | | |
| | Core | | | | | |
| | Spec | | | | | |
| Accessories are not IMAP protected | | | | | | |



Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed.

Moen reserves the right to make product specification changes from time to time, without notice or obligation, and to change or discontinue models.

Connect with us: moen.com/social

U.S. Headquarters: Moen Incorporated

ОН

25300 Al Moen Drive, North Olmsted, OH 44070-8022

L6H 5S7

Visit our website at moen.com

1-800-BUY-MOEN

1-800-465-6130

Canada Headquarters: